1/6




FIG. 1




FIG. 2

Tissues	VEGF-B 167	VEGF-B 186	VEGF-B186 / VEGF-B167 ( % )			
heart	27	7.3	27			
skeletal muscle	27	3.2	12			
diaphragm	16	3	19			
colon	7	1.7	24			
cerebellum	6	-	-			
eye	6	-	-			
kidney	4	1	25			
brain	4	0.6	15			
adrenal	4	-	15			
lung	3	0.45				
cerebrum	3	-	-			
liver	1	-	-			
testis	0.5	-	-			
small intestine	0.5	-	-			
spleen	0.5	-	-			
thymus	0.5	-	-			
peripheral blood cells	0.2	-	-			
T241	12	7.4	62			
B16	9	-4.5	50			
BT4C	8	6.3	79			
LLC	6	3.2	53			

FIG. 3




FIG. 4




FIG. 5




FIG. 6

WEGE B	and VE	ÇÎ.																						
MECKCA	3V 11	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	<b></b>	21	<b>22</b>	_1	
								<del>Trees.</del>			10 L	1000				· had	جينو		1	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	2		-VI	EGF-B186
																	•						<b>← G</b>	APDH
		10 m	S. S		1. AMS			· · · · · · · · · · · · · · · · · · ·															<b>V</b> ]	EGF-B167
<del>fores</del> .	***	٠.,	κ.·.	ethini		豑	المبيضة	٠.	erche	iberit.	7	٠	(Activity)	anne.	-	***	and the	خوسته	ب. سر. ب. سر.	***	e 20 m	ing the party		EGF165
		de Car	4.3	77.1			***	577 34		1977		** \f						100	100		No.		<b>V</b> I	$\mathbf{EGF}$ other isoform:
		<b>NOW</b>	***																		<b>100</b>		<b>←</b> G.	APDH
		<del> </del>													.,	,				• • •			Average	
VEGF-B	1	2	2.5	1	1	2.5	1.5	1.5	3	2.5	2	1.5	1	1	2	1	1	1.5	1.5	1	1	2.5	1.6	
VEGF-A	1.5	3	2.5	4	19	7	9	2.5	7	3	13	2	4.5	5	5	11	7.5	4	3	10	3.5	8	6.1	
VEGFB (186/167)%	70	35	75	85	45	20	55	40	65	15	20	25	20	50	60	20	30	80	25	25	45	20	42	

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11